

PRICELIST 2023

# 1PREMIER SERIES

The all new range of **energy efficient cabinets**  
for the professional kitchen from Hoshizaki.



**GRAM**

# PREMIER 70

**5 YEAR  
WARRANTY**  
PARTS ONLY



2/1 GN



## HIGHLIGHTS

- Removable gaskets
- Monoblock
- Round edges inside
- Airflow guide
- Low sound level
- Right hand hinged reversible door
- Automatic door closing
- Pedal door opener with safety release
- 4 grey shelves (530 x 650mm)
- LED lighting
- Door lock
- Legs, H = 130-180mm

	PREMIER K 70 L DR	PREMIER M 70 L DR	PREMIER F 70 L DR	PREMIER KG 70 L DR
Item number	171701010	172701010	173701010	174701010
Temperature range	+2°C/+12°C	-5°C/+12°C	-25°C/-5°C	+2°C/+12°C
Volume, gross (l)	700	700	700	700
Net usable volume (l)	475	475	475	475
Outside dimensions W x D x H	690 x 920 x 2100	690 x 920 x 2100	690 x 920 x 2100	690 x 920 x 2100
Weight (kg)	125	125	125	130
Weight, packed (kg)	135	135	135	140
Refrigeration capacity at -10°C	206 W (-10° / +45°)	206 W (-10° / +45°)	-	206 W (-10° / +45°)
Refrigeration capacity at -25°C	-	-	376 W (-30° / +45°)	-
Connection	230V / NPE 50 Hz	230V / NPE 50 Hz	230V / NPE 50 Hz	230V / NPE 50 Hz
Connection load (Watt)	120	120	460	120
Energy efficiency class	A	A	C	B
Energy consumption (kWh/24h)	0,935	0,935	4,853	1,237
Sound level db(A)	48	48	52	48
Climate class	5	5	5	4
GWP	3	3	3	3
Refrigerant	R600a	R600a	R290	R600a
Number of shelves	4	4	4	4
Maximum number of shelves	22	22	22	22
	€ 4.720	€ 4.770	€ 5.250	€ 6.390

760660009	Shelf grey with back guard for gn2/1 cabinets excl. Rail	€ 60
760660013	Shelf ss with back guard for gn2/1 cabinets excl. Rail	€ 119
760660442	Shelf grey for gn2/1 cabinets excl. Rail (bottom)	€ 65
760660437	Shelf ss with back guard for gn2/1 cabinets excl. Rail (bottom)	€ 119
760660444	Set of shelves (3 top+1 bottom) ss with back guard for gn2/1 cabinets excl. Rail (single door)	€ 470
760660118	Set of 4 stainless legs 130-180 mm	€ 84
760660022	Set of 4 castors for cabinets	€ 110
760660430	Master key	€ 10

# PREMIER 140

**5 YEAR WARRANTY**  
PARTS ONLY



2/1 GN



## HIGHLIGHTS

- Removable gaskets
- Monoblock
- Round edges inside
- Airflow guide
- Low sound level
- 1 right hand and 1 left hand hinged door
- Automatic door closing
- Door lock x 2
- Pedal door opener x 2
- 8 grey shelves (530 x 650mm)
- LED lighting
- Legs, H = 130-180mm
- Complete wall rails, Shelf support.

	PREMIER K 140 L	PREMIER M 140 L	PREMIER F 140 L	PREMIER KG 140 L
Item number	171141070	172141070	173141070	174141070
Temperature range	+2°C/+12°C	-5°C/+12°C	-25°C/-5°C	+2°C/+12°C
Volume, gross (l)	1400	1400	1400	1400
Net usable volume (l)	1085	1085	1085	1085
Outside dimensions W x D x H (mm)	1380 x 920 x 2100	1380 x 920 x 2100	1380 x 920 x 2100	1380 x 920 x 2100
Weight (kg)	196	196	196	215
Weight, packed (kg)	212	212	212	230
Refrigeration capacity at -10°C	361 W (-10° / +45°)	361 W (-10° / +45°)	-	361 W (-10° / +45°)
Refrigeration capacity at -25°C	-	-	608 W (-30° / +45°)	-
Connection	230V / NPE 50 Hz	230V / NPE 50 Hz	230V / NPE 50 Hz	230V / NPE 50 Hz
Connection load (Watt)	200	200	920	200
Energy efficiency class	A	A	C	B
Energy consumption (kWh/24h)	1,622	1,622	8,89	2,26
Sound level db(A)	50	50	56	50
Climate class	5	5	5	4
GWP	3	3	3	3
Refrigerant	R290	R290	R290	R290
Number of shelves	8	8	8	8
Maximum number of shelves	22 x 2	22 x 2	22 x 2	22 x 2
	€ 7.750	€ 7.980	€ 8.310	€ 10.900

760660009	Shelf grey with back guard for gn2/1 cabinets excl. Rail	€ 60
760660013	Shelf ss with back guard for gn2/1 cabinets excl. Rail	€ 119
760660442	Shelf grey for gn2/1 cabinets excl. Rail (bottom)	€ 65
760660437	Shelf ss with back guard for gn2/1 cabinets excl. Rail (bottom)	€ 119
760660445	Set of shelves (6 top+2 bottom) ss with back guard for gn2/1 cabinets excl. Rail (double door)	€ 940
760660243	Double door cabinet rail-left gn2/1 u shape	€ 14
760660244	Double door cabinet rail-right gn2/1 u shape	€ 14
760660118	Set of 4 stainless legs 130-180 mm	€ 84
760660022	Set of 4 castors for cabinets	€ 110
760660430	Master key	€ 10

# PREMIER W80

**5 YEAR WARRANTY**  
PARTS ONLY



2/1 GN



## HIGHLIGHTS

- Removable gaskets
- Monoblock
- Round edges inside
- Airflow guide
- Low sound level
- Right hand hinged reversible door
- Automatic door closing
- Pedal door opener with safety release
- 4 grey shelves (650 x 530mm)
- LED lighting
- Door lock
- Legs, H = 130-180mm

	PREMIER K W80 L DR	PREMIER M W80 L DR	PREMIER F W80 L DR	PREMIER KG W80 L DR
Item number	171801010	172801010	173801010	174801010
Temperature range	+2°C/+12°C	-5°C/+12°C	-25°C/-5°C	+2°C/+12°C
Volume, gross (l)	700	700	700	700
Net usable volume (l)	475	475	475	475
Outside dimensions W x D x H	810 x 800 x 2100	810 x 800 x 2100	810 x 800 x 2100	810 x 800 x 2100
Weight (kg)	125	125	125	130
Weight, packed (kg)	135	135	135	140
Refrigeration capacity at -10°C	206 W (-10° / +45°)	206 W (-10° / +45°)	-	206 W (-10° / +45°)
Refrigeration capacity at -25°C	-	-	376 W (-30° / +45°)	-
Connection	230V / NPE 50 Hz	230V / NPE 50 Hz	230V / NPE 50 Hz	230V / NPE 50 Hz
Connection load (Watt)	120	120	520	120
Energy efficiency class	A	A	C	B
Energy consumption (kWh)	0,925	0,925	4,87	1,204
Sound level db(A)	48	48	52	48
Climate class	5	5	5	4
GWP	3	3	3	3
Refrigerant	R600a	R600a	R290	R600a
Number of shelves	4	4	4	4
Maximum number of shelves	18	18	18	18
	€ 5.150	€ 5.230	€ 5.330	€ 6.650

ACCESSOIRES		
760660433	Shelf grey with back guard for gn2/1 wide cabinets excl. Rail	€ 65
760660438	Shelf ss with back guard for gn 2/1 wide cabinet excl. Rail	€ 119
760660443	Shelf grey for gn2/1 wide cabinets excl. Rail (bottom)	€ 67
760660439	Shelf ss with back guard for gn 2/1 wide cabinet excl. Rail (bottom)	€ 119
760660447	Set of shelves (3 top+1 bottom) ss with back guard for gn2/1 wide cabinets excl. Rail	€ 470
760660118	Set of 4 stainless legs 130-180 mm	€ 84
760660022	Set of 4 castors for cabinets	€ 110
760660430	Master key	€ 10

# PREMIER 60

**5 YEAR WARRANTY**  
PARTS ONLY

## HIGHLIGHTS

- Removable gaskets
- Monoblock
- Right hand hinged reversible door
- Automatic door closing
- Pedal door opener with safety release
- 4 grey shelves (400 x 600mm)
- LED lighting
- Door lock
- Legs, H = 130-180mm
- Complete wall rails, Shelf support



1/1 EN

	PREMIER K 60 L DR	PREMIER M 60 L DR	PREMIER F 60 L DR	PREMIER KG 60 L DR
Item number	171601010	172601010	173601010	174601010
Temperature range	+2°C/+12°C	-5°C/+12°C	-25°C/-5°C	+2°C/+12°C
Volume, gross (l)	480	480	480	480
Net usable volume (l)	335	335	335	335
Outside dimensions W x D x H	610 x 920 x 2100	610 x 920 x 2100	610 x 920 x 2100	610 x 920 x 2100
Weight (kg)	110	110	110	115
Weight, packed (kg)	120	120	120	125
Refrigeration capacity at -10°C	206 W (-10° / +45°)	206 W (-10° / +45°)	-	206 W (-10° / +45°)
Refrigeration capacity at -25°C	-	-	376 W (-30° / +45°)	-
Connection	230V / NPE 50 Hz	230V / NPE 50 Hz	230V / NPE 50 Hz	230V / NPE 50 Hz
Connection load (Watt)	120	120	310	120
Energy efficiency class	A	A	C	B
Energy consumption (kWh/24h)	0,785	0,785	4,13	1,023
Sound level db(A)	46	46	51	46
Climate class	5	5	5	4
GWP	3	3	3	3
Refrigerant	R600a	R600a	R290	R600a
Number of shelves	4	4	4	4
Maximum number of shelves	22	22	22	22
	€ 5.020	€ 5.080	€ 5.180	€ 6.500

760660431	Shelf grey with back guard for en1/1 cabinet excl. Rail	€ 50
760660440	Shelf ss with back guard for en1/1 cabinet excl. Rail	€ 125
760660446	Set of shelves (4 shelves) ss with back guard for en 1/1 cabinets excl. Rail	€ 490
760660432	Set of 2 rail for en1/1 cabinet u shape	€ 20
760660118	Set of 4 stainless legs 130-180 mm	€ 84
760660022	Set of 4 castors for cabinets	€ 110
760660430	Master key	€ 10

# PREMIER BW80

**5 YEAR WARRANTY**  
PARTS ONLY



2/1 GN



## HIGHLIGHTS

- Removable gaskets
- Round edges inside
- Airflow guide
- Low sound level
- Right hand hinged reversible door
- Automatic door closing
- Integrated castors
- 4 shelves (650 x 530mm)
- LED lighting
- Door lock
- Complete wall rails, Shelf support

### PREMIER K BW80 DR

### PREMIER M BW80 DR

### PREMIER F BW80 DR

### PREMIER KG BW80 DR

Item number	171800010	172800010	173800010	174800010
Temperature range	+2°C/+12°C	-5°C/+12°C	-25°C/-5°C	+2°C/+12°C
Volume, gross (l)	610	610	610	610
Net usable volume (l)	457	457	457	457
Outside dimensions W x D x H	830x770x1970	830x770x1970	830x770x1970	830x770x1970
Weight (kg)	130	130	130	135
Weight, packed (kg)	140	140	140	145
Refrigeration capacity at -10°C	206 W (-10° / +45°)	206 W (-10° / +45°)	-	206 W (-10° / +45°)
Refrigeration capacity at -25°C	-	-	376 W (-30° / +45°)	-
Connection	230V / NPE 50 Hz	230V / NPE 50 Hz	230V / NPE 50 Hz	230V / NPE 50 Hz
Connection load (Watt)	120	120	370	120
Energy efficiency class	A	A	C	B
Energy consumption (kWh/24h)	0,911	0,911	4,959	1,184
Sound level db(A)	48	48	51	48
Climate class	5	5	5	4
GWP	3	3	3	3
Refrigerant	R600a	R600a	R290	R600a
Number of shelves	4	4	4	4
Maximum number of shelves	22	22	22	22

€ 5.530

€ 5.590

€ 5.870

€ 7.080

760660433

Shelf grey with back guard for gn2/1 wide cabinets excl. Rail

€ 65

760660438

Shelf ss with back guard for gn 2/1 wide cabinet excl. Rail

€ 119

760660448

Set of shelves (4 shelves) ss with back guard for gn 2/1 wide cabinets excl. Rail

€ 470

760660434

Set of 2 rail for bottom mount cabinets u shape

€ 32

760660430

Master key

€ 10

**1PREMIER**  
SERIES



PRICELIST 2022

# → ADVANCE SERIES

The all new range of **energy efficient cabinets**  
for the professional kitchen from Hoshizaki.



**GRAM**



# ADVANCE 70

**3 YEAR  
WARRANTY**  
PARTS ONLY



2/1 GN



## ADVANCE K 70-4 L DR

## ADVANCE F 70-4 L DR

Item number	131701010	133701010
Temperature range	+0°C/+10°C	-25°C/-12°C
Volume, gross (l)	600	600
Net usable volume (l)	415	420
Outside dimensions W x D x H	654 x 830 x 2000	654 x 830 x 2000
Weight (kg)	123	123
Weight, packed (kg)	133	133
Refrigeration capacity at -10°C	425 W (-30° / +45°)	-
Refrigeration capacity at -25°C	-	606 W (-30° / +45°)
Connection	230V / NPE 50 Hz	230V / NPE 50 Hz
Connection load (Watt)	140	650
Energy efficiency class	C	D
Energy consumption (kWh/24h)	1,50	5,949
Sound level db(A)	54	56
Climate class	5	5
GWP	3	3
Refrigerant	R290	R290
Number of shelves	4	4
Maximum number of shelves	22	22

€ 3.090

€ 3.500

760660009	Shelf grey with back guard for gn2/1 cabinets excl. Rail	€ 60
760660013	Shelf ss with back guard for gn2/1 cabinets excl. Rail	€ 119
760660442	Shelf grey for gn2/1 cabinets excl. Rail (bottom)	€ 65
760660437	Shelf ss with back guard for gn2/1 cabinets excl. Rail (bottom)	€ 119
760660444	Set of shelves (3 top+1 bottom) ss with back guard for gn2/1 cabinets excl. Rail (single door)	€ 470
760660118	Set of 4 stainless legs 130-180 mm	€ 84
760660022	Set of 4 castors for cabinets	€ 110
760660430	Master key	€ 10

## HIGHLIGHTS

- Removable gaskets
- Monoblock
- Round edges inside
- Airflow guide
- Low sound level
- Right hand hinged reversible door
- Door lock
- Automatic door closing
- 4 grey shelves (650 x 530 mm)
- LED lighting
- Legs, H = 130-180mm
- Interior/ Exterior:  
AISI 430 stainless steel

# ADVANCE 140

**3 YEAR  
WARRANTY**  
PARTS ONLY



2/1 GN



Item number	131141070	133141070
Temperature range	+0°C/+10°C	-25°C/-12°C
Volume, gross (l)	1200	1200
Net usable volume (l)	797	797
Outside dimensions W x D x H	1344 x 830 x 2000	1344 x 830 x 2000
Weight (kg)	177	177
Weight, packed (kg)	192	192
Refrigeration capacity at -10°C	632 W (-30° / +45°)	-
Refrigeration capacity at -25°C	-	673 W (-30° / +45°)
Connection	230V / NPE 50 Hz	230V / NPE 50 Hz
Connection load (Watt)	270	700
Energy efficiency class	C	D
Energy consumption (kWh/24h)	2,54	10,60
Sound level db(A)	53	58
Climate class	5	5
GWP	3	3
Refrigerant	R290	R290
Number of shelves	8	8
Maximum number of shelves	22 x 2	22 x 2

## ADVANCE K 140-4 L

Item number	131141070
Temperature range	+0°C/+10°C
Volume, gross (l)	1200
Net usable volume (l)	797
Outside dimensions W x D x H	1344 x 830 x 2000
Weight (kg)	177
Weight, packed (kg)	192
Refrigeration capacity at -10°C	632 W (-30° / +45°)
Refrigeration capacity at -25°C	-
Connection	230V / NPE 50 Hz
Connection load (Watt)	270
Energy efficiency class	C
Energy consumption (kWh/24h)	2,54
Sound level db(A)	53
Climate class	5
GWP	3
Refrigerant	R290
Number of shelves	8
Maximum number of shelves	22 x 2

€ 4.950

## ADVANCE F 140-4 L

Item number	133141070
Temperature range	-25°C/-12°C
Volume, gross (l)	1200
Net usable volume (l)	797
Outside dimensions W x D x H	1344 x 830 x 2000
Weight (kg)	177
Weight, packed (kg)	192
Refrigeration capacity at -10°C	-
Refrigeration capacity at -25°C	673 W (-30° / +45°)
Connection	230V / NPE 50 Hz
Connection load (Watt)	700
Energy efficiency class	D
Energy consumption (kWh/24h)	10,60
Sound level db(A)	58
Climate class	5
GWP	3
Refrigerant	R290
Number of shelves	8
Maximum number of shelves	22 x 2

€ 5.640

760660009	Shelf grey with back guard for gn2/1 cabinets excl. Rail	€ 60
760660013	Shelf ss with back guard for gn2/1 cabinets excl. Rail	€ 119
760660442	Shelf grey for gn2/1 cabinets excl. Rail (bottom)	€ 65
760660437	Shelf ss with back guard for gn2/1 cabinets excl. Rail (bottom)	€ 119
760660445	Set of shelves (6 top+2 bottom) ss with back guard for gn2/1 cabinets excl. Rail (double door)	€ 940
760660243	Double door cabinet rail-left gn2/1 u shape	€ 14
760660244	Double door cabinet rail-right gn2/1 u shape	€ 14
760660118	Set of 4 stainless legs 130-180 mm	€ 84
760660022	Set of 4 castors for cabinets	€ 110
760660430	Master key	€ 10

## HIGHLIGHTS

- Removable gaskets
- Monoblock
- Round edges inside
- Airflow guide
- Low sound level
- 1 right hand and 1 left hand hinged door
- Door lock
- Automatic door closing
- 8 grey shelves (650 x 530 mm)
- LED lighting
- Legs, H = 130-180mm
- Complete wall rails, Shelf support.
- Interior/ Exterior: AISI 430 stainless steel



**Hoshizaki Europe B.V.**  
**Headquarters Export EMENA**

Burgemeester Stramanweg 101  
1101 AA Amsterdam  
the Netherlands

T: +31 (0)20 691 8499  
sales@hoshizaki.nl  
[www.hoshizaki-europe.com](http://www.hoshizaki-europe.com)

Ref: EXP-2022-06- Pricelist v1.0